

SAP CRM TRANSACTION CODES LIST

CRMBS02 : Tcode for Maintain Status Profiles

CRMBS03 : Tcode for Display Status Profiles

CRMBS42 : Tcode for Maintain Status Selection Profiles

CRMBS43 : Tcode for Display Status Selection Profile

CRMBS52 : Tcode for Maintain Authorization Keys

CRMBS53 : Tcode for Display Authorizaion Key

CRMBWST : Tcode for Genertd DataSource for BW Status Obj

CRMBWTARGETS : Tcode for Release Data Target for BW Upload

CRMBW_CIC_ATTRIBUTES : Tcode for BW Key Figures for CRM

CRMCACTARC : Tcode for Archiving Control CRM Activity

CRMCPMSG : Tcode for Configure Customer-Specific Messages

CRMCUSTOM : Tcode for Monitoring Middleware System

CRMC_ACTION_CONF : Tcode for Configure Action Profile

CRMC_ACTION_DEF : Tcode for Define Action Profile

CRMC_ACTION_JOB : Tcode for Action Monitor

CRMC_ACTION_PRINT : Tcode for Configure action profile (old)

CRMC_ACTION_WIZARD : Tcode for Action for Definition via Wizard

CRMC_ACTIVITY_H : Tcode for Customizing Maintenance Activity

CRMC_ACT_CATEGORY : Tcode for Cust. Maint. Activity: Category

CRMC_ACT_OBJ : Tcode for Cust. Maintenance Activity: Goal

CRMC_ACT_SURVEY : Tcode for Cust. Maint. Activity: Questionnaire

CRMC_AM_JCLASS : Tcode for Alert Modeler Java Class

CRMC_ATP_PROFILE : Tcode for Customizing Maintenance: APO Profile

CRMC_BLUEPRINT : Tcode for Maintenance for BSP Blueprint

CRMC_BLUEPRINT_C : Tcode for IMG Call

CRMC_BL_CHECK : Tcode for Check Blueprint Tables

CRMC_BL_COPY_QUERIES : Tcode for Copy Report Delivery Queries

CRMC_BP_CCKPT_PB : Tcode for Cust.Maint. BP Cockpit: Pushbuttons

CRMC_BSP_ANALYZE : Tcode for Starts CRMC_BSP_FRAME: Analysis Mode

CRMC_BSP_WD_MSGDEFH : Tcode for Message Default Handler Assignment

CRMC_BUAG_NUMBERS : Tcode for Number Range Maintenance: BUAG

CRMC_BUPA_CONSUM : Tcode for Maintain reference business partner

CRMC_BUPA_INITIAL : Tcode for Table Maintenance CRMC_BUT_INITIAL

CRMC_BUS_SUBOB_C : Tcode for Assign. BUS – Allowed Appl. Areas

CRMC_BUS_SUBOB_I : Tcode for Assignment BUS-allowed app.area item

CRMC_BUT_CALL_FU : Tcode for Establishing FMs for Data Exchng BP

CRMC_CAI_COCKPIT : Tcode for CAI – Test Cockpit

CRMC_CATAGORY_WP : Tcode for Cust. Maintenance Application Area

CRMC_CATALOG_DEFINE : Tcode for Create Catalog

CRMC_CATALOG_OVV : Tcode for Catalog Overview

CRMC_CIC_AB_LSYS_ASS : Tcode for Action Box: Assign logical systems

CRMC_CIC_AB_LSYS_CRE : Tcode for Action Box: Create logical systems

CRMC_CIC_AB_LSYS_RFC : Tcode for Action Box: Assign LogSYS to RfcDest

CRMC_CIC_AB_NAV : Tcode for Action Box Navigation Area

CRMC_CIC_AB_WEBGUI : Tcode for Define ITS for WebGui Mode

CRMC_CIC_ACT0 : Tcode for Transaction component profile

CRMC_CIC_AM_LANG : Tcode for Lang. dependent text – Alert Modeler

CRMC_CIC_AM_META : Tcode for Define Customer-Specific Meta Model

CRMC_CIC_AM_PROFILE : Tcode for Maintan Alert Modeler Editor Profile

CRMC_CIC_BP_PROFILE : Tcode for Maintain Profile Templates

CRMC_CIC_BROAD : Tcode for broadcasting profile assign

CRMC_CIC_COMP_ACTION : Tcode for Component Actions (for locator, BDD)

CRMC_CIC_EXT_INB_ACT : Tcode for Activate Agent Inbox

CRMC_CIC_FW_MAINTAIN : Tcode for Maintain Framework ID and Parameters

CRMC_CIC_MAIL_ADDR : Tcode for Addresses for Agent Inbox

CRMC_CIC_MAIL_E_RESP : Tcode for Maintain Rules for E-Mail

CRMC_CIC_MAIL_F_RESP : Tcode for Maintain Rules for Fax

CRMC_CIC_MAIL_GLOBAL : Tcode for Define Global Settings

CRMC_CIC_MAIL_IBXPRF : Tcode for Define Inbox Settings

CRMC_CIC_MAIL_TASKS : Tcode for Task Classification

CRMC_CIC_MAIL_WF : Tcode for Assign Agent for E-Mail Handling

CRMC_CIC_RESTART : Tcode for Set Time & Memory for Restart

CRMC_CIC_SEARCH_CNTR : Tcode for Maintain Search Components

CRMC_CIC_SEARCH_RULE : Tcode for Maintain Search Attributes

CRMC_CIC_TITLE_TEXTS : Tcode for Maintain Window Title

CRMC_CIC_WSP0 : Tcode for Workspace Definition

CRMC_CIC_WSP1 : Tcode for Inbox Profiles

CRMC_CIC_WSP2 : Tcode for E-Mail Editor Profiles

CRMC_CIC_WSP3 : Tcode for Default Workspaces Profile

CRMC_CIC_WSP_EDITOR2 : Tcode for Editor Profiles

CRMC_CLM_ACTION_CONF : Tcode for Configure Action Profile

CRMC_CLM_ACTION_DEF : Tcode for Define Action Profile

CRMC_CLM_ACTION_WIZ : Tcode for Action for Definition via Wizard

CRMC_CLM_BTSYNG : Tcode for Business transaction synchronization

CRMC_CLM_CALLATTRS : Tcode for Call Attributes

CRMC_CLM_CALLRESULTS : Tcode for Call results

CRMC_CLM_CLDP : Tcode for Call list determination procedures

CRMC_CLM_CLTYPES : Tcode for Call list types

CRMC_CLM_CMPGPM : Tcode for Campaign priority mapping

CRMC_CLM_CTMAP : Tcode for Calling Times Mapping

CRMC_CLM_ORCC : Tcode for Order control components

CRMC_CLM_RSCHVL : Tcode for Rescheduling validation procedures

CRMC_CLM_SORCC : Tcode for Standard order control profiles

CRMC_CLM_STMAP : Tcode for Call State Mapping

CRMC_CPRICPROC : Tcode for Definition of Cust. Determ. Proced.

CRMC_CP_BADI_F : Tcode for Copying BADI – Text Maintenance

CRMC_CSDR_ADD_CUST : Tcode for Design Registration Project

CRMC_CSDR_APPL_CUST : Tcode for Design Registration Project

CRMC_CUST_APPLLAYOUT : Tcode for ViewCluster Mtnce CRMV_APPLLAYOUT

CRMC_DPRICPROC : Tcode for Definition of Document Procedures

CRMC_EXEC_BAB : Tcode for CRM: Start business applic. builder

CRMC_EXEC_BAB_G : Tcode for CRM: Start OAS in customer mode

CRMC_EXEC_BAB_D : Tcode for CRM: OAS in customer design mode

CRMC_EXEC_BAB_S : Tcode for CRM: Start OAS in SAP mode

CRMC_IC_ACPROF : Tcode for Maintain Activity Clipboard profiles

CRMC_IC_ACTIONPROF : Tcode for Maintain Actions profiles

CRMC_IC_ACTIONWZ : Tcode for Start Action Box Wizard

CRMC_IC_ALERTMODELER : Tcode for Alert Modeler customizing

CRMC_IC_AMWZ : Tcode for alert wizard

CRMC_IC_AM_PHS : Tcode for Maintain Alert Modeler Placeholder

CRMC_IC_AM_PRM : Tcode for Alert Modeler Input Parameters

CRMC_IC_AUI_FWD : Tcode for Define Forwards for Inbox Items

CRMC_IC_AUI_GEN : Tcode for Agent Univ. Inbox – CRMV_IC_AUI_GEN

CRMC_IC_AUI_MAINCAT : Tcode for Define Main Categories

CRMC_IC_AUI_MAP_PRI : Tcode for Map Native to Inbox Priorities

CRMC_IC_AUI_MAP_STA : Tcode for Map Native to Inbox Status

CRMC_IC_AUI_PARTNER : Tcode for Agents Universal Inbox – Partners

CRMC_IC_AUI_PROFILE : Tcode for Define and Assign Inbox Profiles

CRMC_IC_AUI_QUICKS : Tcode for Define Quick Searches

CRMC_IC_AUI_TIMEPER : Tcode for Define Time Periods

CRMC_IC_BDCCONTEXT : Tcode for Specify alternative BDC context

CRMC_IC_BPPROF : Tcode for Define Profiles for Customer Identif

CRMC_IC_BTPFAS : Tcode for Assignment of Partner Functions

CRMC_IC_BTPROF : Tcode for Profile for Business Transaction

CRMC_IC_CHTPROF : Tcode for Maintain profiles for Chat

CRMC_IC_CLMPROF : Tcode for Call List Profile Maintenance

CRMC_IC_CM : Tcode for Content Management Customizing

CRMC_IC_EMLPROF : Tcode for Maintain profiles for Email

CRMC_IC_EVENTING : Tcode for Event management customizing

CRMC_IC_EVENTS : Tcode for IC WebClient Events

CRMC_IC_MAIL_E_RESP : Tcode for Maintain Rules for E-Mail

CRMC_IC_MAIL_F_RESP : Tcode for Maintain Rules for Fax

CRMC_IC_MAIL_WF : Tcode for Assign Agent for E-Mail Handling

CRMC_IC_MAIN : Tcode for Main Component Customizing

CRMC_IC_MCM_CCPRO : Tcode for Define Com Mgmt Software Profiles

CRMC_IC_MKTPROF : Tcode for Campaign Profile Maintenance

CRMC_IC_NAVBARWZ : Tcode for CRMC_IC_NAVBARWZ

CRMC_IC_NAVBAR_PERM : Tcode for Nav Bar Permanent Profile

CRMC_IC_NAVBAR_PERS : Tcode for Nav Bar Personalizing Profile Defaul

CRMC_IC_RTFRAMEWORK : Tcode for IC WebClient Runtime Framework

CRMC_IC_SCRIPT : Tcode for Maintain Interactive Scripting Prof

CRMC_IC_SPH_AGENTPRO : Tcode for Maintain Profiles for SPH Agent

CRMC_IC_TLBPROF : Tcode for Maintain profiles for Toolbar

CRMC_IC_TRACE : Tcode for Activate activity tracing for agent

CRMC_IC_WCTPROF : Tcode for Maintain profiles for Web Context

CRMC_IC_XML_TEMPLATE : Tcode for XML template maintenance

CRMC_IIA_KERNEL : Tcode for IIA: Customizing for Learning Engine

CRMC_IIA_REPORT : Tcode for IIA: Customizing for Learning Engine

CRMC_IOBJ_FIN_STATE : Tcode for Change Status of Individual Objects

CRMC_IPMO_BWSELOPT : Tcode for BW Select Optns: IPMO Sett.DataColl.

CRMC_IPMO_SRVUSE : Tcode for IPMO: Usage from Feature

CRMC_IPM_CLRRUL : Tcode for Clearing Control – Diagram Form

CRMC_ISA_IUSER : Tcode for Internet User Settings

CRMC_ITEM_CAT_GR : Tcode for Item Category Usage

CRMC_ITEM_MA : Tcode for Customizing Maintenance: Item Cats

CRMC_IT_ASSIGN : Tcode for Customizing Maint.: Item Cat. Dtrmtn

CRMC_IT_COPY_IF : Tcode for Copy: Item category determination

CRMC_IT_COPY_MA : Tcode for Copy Item Categories

CRMC_IT_TYPE_US : Tcode for Item Category Usage

CRMC_LAYOUTC_GENE : Tcode for Generation of Customer Table Layout

CRMC_LAYOUT_GENERATE : Tcode for Generation of Layout Table

CRMC_LOGS : Tcode for Maintenance of message classes

CRMC_MAP : Tcode for Customer Maintenance Mapping

CRMC_MKTCA_WF_CUST : Tcode for Workflows Campaign Automation

CRMC_MKTLIST_WF_CUST : Tcode for Workflows External List Management

CRMC_MKTPL_ACT_CONF : Tcode for Configure Action Profile

CRMC_MKTPL_ACT_DEF : Tcode for Define Action Profile

CRMC_MKTPL_ACT_WIZ : Tcode for Action for Definition via Wizard

CRMC_MKTPL_FAW_CPG : Tcode for Field Selection Campaign

CRMC_MKTPL_FAW_CPT : Tcode for Field Selection Campaign Element

CRMC_MKTPL_FAW_DLM : Tcode for Field Selection Deal

CRMC_MKTPL_FAW_MPL : Tcode for Field Selection Marketing Plan

CRMC_MKTPL_FAW_MPT : Tcode for Field Select. Marketing Plan Element

CRMC_MKTPL_FAW_TPM : Tcode for Field Selection Trade Promotion

CRMC_MKTPL_FAW_TPT : Tcode for Field Selection Trade Element

CRMC_MKTPL_MAPPING : Tcode for Customizing Field Assignment MS Proj

CRMC_MKTPL_RT_AC : Tcode for Maintaning residency time

CRMC_MKTPL_SETTYPE : Tcode for Marketing Planning: Process Set Type

CRMC_MKTTG_CUSTMSG : Tcode for Configure Customer-Specific Messages

CRMC_MKTTG_DTY : Tcode for CRM Marketing: View Display Type

CRMC_MKTTG_MGR_H : Tcode for CRM Marketing: Report Name

CRMC_MKTTG_OPT_H : Tcode for CRM Marketing: Sample Optimization

CRMC_MKTTG_RUL : Tcode for CRM MKT: Split/Reduce Rules for TGs

CRMC_MKTTG_SA_DP : Tcode for Assign Attribute Type to Display

CRMC_MKTTG_SA_TP : Tcode for CRM Marketing: View Attribute Types

CRMC_MKTTG_TYP_H : Tcode for CRM Marketing: Target Group Type...

CRMC_MKT_PARAMBW : Tcode for Customizing for BW Parameter ID

CRMC_MSGC : Tcode for Customizing CRM message attribute

CRMC_MSGS : Tcode for CRM message attribute maintenance

CRMC_NR_CONF : Tcode for Number Range Maint.: CRM_CONF

CRMC_NR_MPK_MPOINT : Tcode for Number Range Maint.: Counter

CRMC_NR_MPK_READING : Tcode for Number Range Maint.: Counter Reading

CRMC_NR_RA_ACTIVITY : Tcode for Number Range Maintenance: CRM_ACTIVI

CRMC_NR_RA_CONFIRM : Tcode for Number Range Maintenance:CRM_confirm

CRMC_NR_RA_FANF : Tcode for Number Range Maintenance: CRM_SERVIC

CRMC_NR_RA_LEADS : Tcode for Number range maintenance: CRM_LEAD

CRMC_NR_RA_OPPORT : Tcode for Number Range Maintenance: CRM_OPPORT

CRMC_NR_RA_SALES : Tcode for Number Range Maintenance: CRM_SALES

CRMC_NR_RA_SERVICE : Tcode for Number Range Maintenance: CRM_SERVIC

CRMC_NR_RA_SRV_CONF : Tcode for Number range maintenance: CRM_SRV_CF

CRMC_NR_RA_SUR : Tcode for Number range maintenance: CRM_SUR

CRMC_NR_SRV_CONF : Tcode for

CRMC_OBJECTS : Tcode for Subobjects of CRM Document

CRMC_OBJECT_ASSI : Tcode for Assignment Appl. Area – CRM Object

CRMC_OPPORT_H : Tcode for Customizing Maintenance: Opportunity

CRMC_ORGPROF : Tcode for Maintenance of Org. Data Profile

CRMC_PARTNER_AS : Tcode for Maintenance of Access Sequences

CRMC_PARTNER_FCT : Tcode for Maintenance of Partner Functions

CRMC_PARTNER_MAP2CRM : Tcode for Mapping Partner Functions into CRM

CRMC_PARTNER_MAP2R3 : Tcode for Mapping Partner Functions into R/3

CRMC_PARTNER_PDP : Tcode for Maintenance of Partner Procedures

CRMC_PARTNER_PFT : Tcode for Maintenance of Partner Function Type

CRMC_PFTREL : Tcode for BP PartnerFunctionCat.for Rel. Cat.

CRMC_PLSRV_REL : Tcode for Product Proposal

CRMC_PPR_CTRL : Tcode for Maintain Global PPR Settings

CRMC_PPR_DEFINE_APPL : Tcode for Define Applications using PPRs

CRMC_PPR_DEFINE_OCHK : Tcode for Transaction Types Rel. for PPR Check

CRMC_PPR_DEFINE_PARA : Tcode for Customer Maintenance Rule Parameter

CRMC_PPR_DEFINE_RULE : Tcode for Customer Maintenance Rule Definition

CRMC_PPR_DEFINE_SRTB : Tcode for Define Sort Routines for BPartners

CRMC_PPR_DEFINE_S RTP : Tcode for Define Sort Routines for Products

CRMC_PPR_DEFINE_TYPE : Tcode for Customer Maintenance PPR Types

CRMC_PRCPROC_DET : Tcode for Cust. Maint. Pr. type determination

CRMC_PRC TYPE_DET : Tcode for Cust. Maint. Pric. Proced. Maint.

CRMC_PROCESS_MA : Tcode for Customizing Maint.:Transaction Types

CRMC_PROD_FIN_COPY : Tcode for Copy Financing Product

CRMC_PROD_FIN_HIER : Tcode for Create Financing Hierarchy

CRMC_PRPS : Tcode for BP Function Proposal Procedure

CRMC_PRP_IL_MAP : Tcode for PPR-Customizing: Maintenance Mapping

CRMC_PRP_OBJECTS : Tcode for PPR-Customizing: Maintenance Mapping

CRMC_PR_COPY_MA : Tcode for Copy Transaction Types

CRMC_R3_ORG_GENERATE : Tcode for R/3 organizational data generation

CRMC_SALES_ITEM : Tcode for Sales Customizing at Item Level

CRMC_SERVICE_H : Tcode for Customizing Maintenance: Service

CRMC_SERVICE_IPT : Tcode for Maintenance of Internet Trans. Types

CRMC_SLS_ITM_BIL : Tcode for Maint. Item Types & Billing Relev.

CRMC_SRVCATIFC : Tcode for Catalog Integration

CRMC_SUBPROFILE_H : Tcode for Define Subject Profile

CRMC_SUBOB_CAT : Tcode for Application Areas

CRMC_SUBOB_CAT_I : Tcode for Item – Business Object Types

CRMC_SWITCH_ORGMODEL : Tcode for Convert Org. Model

CRMC_TAX_CUST_UPD : Tcode for Maintain Condition Function in Cond.

CRMC_TAX_GROUP : Tcode for Tax Group Customizing

CRMC_TAX_MAP : Tcode for Tax Group Customizing

CRMC_TAX_SCHEMA : Tcode for Maintain tax procedures

CRMC_TIMEPROF : Tcode for CRM date profile

CRMC_TM_CLPROF0 : Tcode for Call list profile maintenance

CRMC_TM_NSM : Tcode for Namespace manager

CRMC_TM_PSM : Tcode for Persistent storage manager

CRMC_WEBREQ : Tcode for Request Categories for Web Requests

CRMC_WEBREQ_BEGR : Tcode for Authorization Groups for Views

CRMC_WEBREQ_BEGR_DIS : Tcode for Authorization Groups for Views

CRMC_XMLEEDITOR : Tcode for Start XML Editor for Spice

CRMD_AR_MAINTAIN : Tcode for Process Product Association Rule

CRMD_BILLING : Tcode for Transfer Invoice Data to R/3

CRMD_BILL_REV : Tcode for Cancel Billing Document

CRMD_BUS2000107 : Tcode for Process Framework Agreements

CRMD_BUS2000108 : Tcode for Maintain Leads

CRMD_BUS2000111 : Tcode for Maintain Opportunities

CRMD_BUS2000112 : Tcode for Maintain Service Contracts

CRMD_BUS2000113 : Tcode for Process Purchase Contracts

CRMD_BUS2000114 : Tcode for Maintain Sales Contracts

CRMD_BUS2000115 : Tcode for Maintain Sales Transactions

CRMD_BUS2000116 : Tcode for Edit Service Processes

CRMD_BUS2000117 : Tcode for Process Service Confirmations

CRMD_BUS2000120 : Tcode for Process Complaints

CRMD_BUS2000121 : Tcode for Maintain Sales Contracts

CRMD_BUS2000126 : Tcode for Maintain Activities

CRMD_BUS2000210 : Tcode for Maintain Product Service Letter

CRMD_BUS2000220 : Tcode for Maintain Partner Design Project

CRMD_BUS2000230 : Tcode for Maintain License Sales Contracts

CRMD_BUS2000231 : Tcode for Edit License Acquisition Contracts

CRMD_BUS2000232 : Tcode for Edit License Usage Confirmation

CRMD_CALL_LIST : Tcode for Generation of Call Lists

CRMD_CC : Tcode for Currency Change

CRMD_CCKPT_VIEWCUST : Tcode for customizing for role default views

CRMD_CD : Tcode for Display of Document Changes

CRMD_CODEX : Tcode for CRM Codex : Evaluation

CRMD_CSDR_PROJ_FAST : Tcode for Fast entry screen for Project

CRMD_DOWNLOAD_OM : Tcode for CRM Mobile Client Download (Online)

CRMD_DOWNLOAD_SB : Tcode for Download Sales Bundling Data to CDB

CRMD_EMAIL : Tcode for Maintain Mail Form

CRMD_EMAIL_LIST : Tcode for Display Marketing Bus. Activity List

CRMD_EMAIL_TEMPL : Tcode for Maintain Mail Template

CRMD_EMAIL_TEMPL1 : Tcode for Maintain Mail Form

CRMD_EVENT_CHECK : Tcode for EH:Callback for Trans.Type/Item Cat.

CRMD_EVENT_TRACE : Tcode for Evaluate Transaction Event Trace

CRMD_IIA_FAQ : Tcode for Maintain Frequently Asked Questions

CRMD_IIA_REPORT : Tcode for Generate Statistics Reports

CRMD_IM_MAIL_DELETE : Tcode for Delete Marketing Bus. Activity List

CRMD_INDEX_OM : Tcode for Index structure search OM

CRMD_IPM_AVAILABLE : Tcode for Analyze Rights Availability

CRMD_IPM_EVENT : Tcode for Date/Event Management

CRMD_IPM_HIER : Tcode for Maintain Hierarchical Attributes

CRMD_IPM_HIER_VIEW : Tcode for Maintain Hier.Attributes Views

CRMD_IPM_RD_PCUI_GEN : Tcode for IPM: Generate People Centric UI

CRMD_ISA_AUC_ATT : Tcode for Web Auction Attributes Setup

CRMD_ISA_EAUCTION : Tcode for Manage Web Auctions

CRMD_LEAD_FREE_SEL : Tcode for Lead Monitor: Free Selection

CRMD_LEAD_MONITOR : Tcode for Lead Monitor – Organizational View

CRMD_LEAS_ME_ACCRUAL : Tcode for Month-End Accruals

CRMD_MINIPROCESS : Tcode for Process a Transaction from MiniApp

CRMD_MKTDS : Tcode for Data Sources for Segment Builder

CRMD_MKTDS_WIZARD : Tcode for Data Source Wizard

CRMD_MKTLIST : Tcode for External List Management

CRMD_MKTLIST_MAP : Tcode for CRM Marketing : ELM Mapping Tool

CRMD_MKTPL_AL00 : Tcode for CRM: Allocation Application

CRMD_MKTPL_AL02 : Tcode for CRM: Allocation Rules

CRMD_MKTPL_AL03 : Tcode for CRM: Allocation Priorities

CRMD_MKTPL_AL04 : Tcode for CRM: Status of actual quantities

CRMD_MKTSEG : Tcode for Segment Builder

CRMD_MKTSEG_MGR : Tcode for Edit Master Groups/Samples

CRMD_MKT_EXP : Tcode for CRM Marketing: Export Target Group

CRMD_MKT_PROC : Tcode for Create Business Transactions

CRMD_MKT_TOOLS : Tcode for Marketing Tools

CRMD_MKT_TRANS : Tcode for CRM Marketing: Transport to Channels

CRMD_OPPORT_FAST : Tcode for My opportunities – fast change

CRMD_ORDER : Tcode for Transaction Processing

CRMD_ORDER_BP : Tcode for Business Partner Cockpit

CRMD_ORDER_LEAS_WOFF : Tcode for Write-Offs Mass Update Leasing

CRMD_ORDER_OBJLINK : Tcode for CRM Order via BUS Type and Number

CRMD_ORDER_PA : Tcode for Dialog Transaction CRMD_ORDER

CRMD_PROF_BP : Tcode for Business Partner Attributes

CRMD_PROF_CHAR : Tcode for Attribute Maintenance

CRMD_PROF_TEMPL : Tcode for Maintain Attribute Sets

CRMD_ROUTING_PROFILE : Tcode for Maintain Profiles and Attributes

CRMD_SDB_PRMN : Tcode for Maintain Info. Security Profile

CRMD_SDB_PROF : Tcode for Assign Profile to User

CRMD_SERV_CYCLE : Tcode for Define Service Cycles

CRMD_SERV_FORECAST : Tcode for Service Plan Forecasting

CRMD_SERV_SLA : Tcode for Availability and Response Times

CRMD_SRWWW : Tcode for Internet Transaction Service Request

CRMD_TG_IMPORT : Tcode for Import External Target Groups

CRMD_TM_CLDIST : Tcode for Call List Maintenance

CRMD_TM_CLMS : Tcode for Call List Management

CRMD_TRACE_EVAL : Tcode for Evaluation of API Trace

CRMD_TRACE_SET : Tcode for Activate/Deactivate API Trace

CRMD_TRACE_WATCHHP : Tcode for Setting/Deletion of Watchpoint

CRMD_TRANSLATE : Tcode for Translate Mail Form

CRMD_TRANS_OM : Tcode for Translate Short Text for Org Units

CRMD_WEBREQ_CUST_OVW : Tcode for Customizing Evaluation: Web Requests

CRMD_WEBREQ_GEN_EXIT : Tcode for Generate start_exit Page

CRMD_WEBREQ_MONITOR : Tcode for Monitor for Web Requests

CRMD_WEBREQ_SIG_SHOW : Tcode for Display Digital Signature

CRMINIT : Tcode for First steps in middleware servers

CRMMDCS : Tcode for MAINT. DECISION TREE

CRMMDTREE : Tcode for The Overall Maintenance

CRMMNODE : Tcode for Transcation of maint. script node

CRMMNODET : Tcode for Transcation of maint. script node

CRMMONITOR : Tcode for Monitoring Middleware System

CRMMOPTION : Tcode for Maint. Tansaction to script option

CRMMSCRCHECK : Tcode for CHECK SCRIPT CONSISTENCY

CRMMTREE : Tcode for SCRPT TREE MAINTENCE

CRMMTREET : Tcode for SCRPT TREE MAINTENCE

CRMM_BPCURR : Tcode for Currency Changeover Business Partner

CRMM_BPD : Tcode for Business Partner Diagnosis

CRMM_BUPA_MAP : Tcode for Business partner data exchange

CRMM_BUPA_SEND : Tcode for Business Partner: Sending Directly

CRMM_CIC_APDISPLAY : Tcode for Display IC WinClient Profile

CRMM_CSDR_PROD_MAIN : Tcode for Des.Reg. product attributes maintain

CRMM_HR_QUALI_DEF : Tcode for Create CRM relevant HR qualis remote

CRMM_HR_QUALI_GET : Tcode for Create attribute f. HR qualification

CRMM_IC_MCM_CCADM : Tcode for Maintain System Settings

CRMM_IC_MCM_CCLNK : Tcode for Assign Profiles

CRMM_ISA_IUSER : Tcode for Internet User Management

CRMM_ISA_UA : Tcode for Internet Sales – User Administration

CRMM_MARKET_ATTRSET : Tcode for Maintain Marketing Set Type

CRMM_MKT_SAMPLE : Tcode for Samples for Segment Builder

CRMM_PPR : Tcode for Maintain Partner/Product Range

CRMM_PPR_CHNG_STATUS : Tcode for Change Partner/Product Range Status

CRMM_PPR_GUID_INFO : Tcode for Program CRM_PRP_GUID_INFO

CRMM_PPR_GUID_PPR : Tcode for Display all GUIDs for a PPR

CRMM_PPR_LISTFORBUPA : Tcode for Program CRM_PRP_LIST_PPRS_FOR_BUPA
CRMM_PPR_LISTFORPROD : Tcode for Program CRM_PRP_LIST_BUPAS_FOR_PROD
CRMM_PPR_RULES : Tcode for Execute Partner/Product Range Rules
CRMM_PPR_SETTYPES : Tcode for Maintain PPR Set Types
CRMM_PPR_STATUS_TEST : Tcode for Change PPR Status for internal use
CRMM_PPR_TOPN : Tcode for Maintain Top n Products
CRMM_PRPROD : Tcode for Assign Pricing Reference Materials
CRMM_ROUTING : Tcode for start business routing
CRMM_ROUTING_COMPARE : Tcode for Business Routing: Compare Scenario
CRMM_ROUT_AGENT : Tcode for Maintain agents for business routing
CRMM_ROUT_GRP : Tcode for Start routing group of b. routing
CRMM_ROUT_GRP_BP : Tcode for Group Members for Routing Groups
CRMM_ROUT_PROF : Tcode for Maintain profile
CRMM_ROUT_PROF_BP : Tcode for Assign Routing Grp Member to Profile
CRMM_ROUT_PROF_CHAR : Tcode for Maintain Attributes
CRMM_ROUT_PROF_TEMP : Tcode for Maintain Profile Template
CRMM_SEARCH : Tcode for Knowledge Search
CRMM_TERRMAN : Tcode for Territory Management
CRMM_TM_SCRIPT : Tcode for Interactive scripting editor
CRMORDERARC : Tcode for Residence Times Transaction Types
CRMSE62 : Tcode for Activate Exchanged Short Texts
CRMST62 : Tcode for Create Industry Short Texts
CRMS_IC_ACTION_DF : Tcode for IC WebClient Data Flow Maintenance
CRMS_IC_CHECK : Tcode for Check System Settings and Status
CRMS_IC_CROSS_SYS : Tcode for Transaction Launcher Logical Systems
CRMS_IC_SYSTEM_PROPS : Tcode for IC WebClient System Properties
CRMV_CANCPROCEDURE : Tcode for Maintain cancellation procedures
CRMV_CANCRULES : Tcode for Maintain cancellation rules

CRMV_CHECK_EVENTS : Tcode for Check Cust. Tab. for Event Handler

CRMV_CHECK_SSC : Tcode for Check Screen Control Data

CRMV_CODEX : Tcode for CRM Codex: Maint. of Check Tables

CRMV_EVENT : Tcode for Customizing Event Handler

CRMV_GENIL : Tcode for Customizing Object Model Generic IL

CRMV_IPM_EVENTS : Tcode for Define Events

CRMV_IPM_HIER_ATTR : Tcode for Customizing: Hierarchical Attributes

CRMV_IPM_HIER_VIEW : Tcode for Hierarchical Attributes Views

CRMV_PARTY : Tcode for Maintain cancelling party

CRMV_SSC : Tcode for Mntce: Scrn Cntrl Data – CRM Trans.

CRMXIF_C1 : Tcode for Assignment Site ID Interface Type

CRM_AC : Tcode for Check Appointment Rule for Data Exch

CRM_ACE_ADM : Tcode for CRM ACE Administrator Console

CRM_ACE_ADM_OLD : Tcode for Old CRM ACE Activation Tool GUI.

CRM_ACE_DEV : Tcode for CRM ACE Developer Tools

CRM_ACT_CUST_FIELDS : Tcode for Add customer fields to Activity Jrnl

CRM_ACT_IBU_INCL : Tcode for Maintain IBU specific fields

CRM_ACT_JR_TMPT : Tcode for Create/Change Activity Jrnl Template

CRM_ACT_JR_TMPT_TYPE : Tcode for Create/Change Activity JRNL TempType

CRM_ACT_STD_JRNL : Tcode for Create Standard Activity Journal

.....

Refer <http://sapbrainsonline.com/help/crm-tutorial.html> for more SAP

CRM Resources

.....